sunlite

Catalog # 49169-SU LFX/SWP/MW/SCT/BRZ

Sunlite 49169 LED Outdoor Slim Profile Cutoff Wallpack Light Fixture, Power Selectable 21/28/35W, 4550 Lmns, Color Selectable 30/40/50K, UL Listed, Bronze, Residential, Commercial Use

DESCRIPTION:

Upgrade your outdoor lighting with the Sunlite LED Outdoor Slim Profile Cutoff Wallpack. Hinged base allows you to adjust the light up to 90 degrees so you can direct the light where it's needed. These fixtures allow you to choose the color temperature at the time of installation. Select 3000K Warm White, 4000K Cool White, or 5000K Daylight depending on your preference using a switch on the back. A second switch allows you to select between wattage for different lumen outputs. Choose 12 watts, 28 watts, or 35 watts and can provide up to 4550 high output lumens depending on the watts you choose. These commercial grade fixtures feature a weather-resistant aluminum body finished in bronze. Ideal for security and general-purpose lighting along the perimeter of buildings, entryways, or anywhere extra lighting is needed. It is protected from low pressure water jets from any direction, condensation, and water spray, thanks to its IP 65 rating. UL Listed for safety and quality. DLC listed for design and efficiency. Great for commercial or residential applications on 120-277-volt service. Dimension: 8.08" H x 6.49" W x 3.85" D.

FEATURES:

- SLIM PROFILE DESIGN This fixture is a simple, economical solution for outdoor lighting needs. It provides high-quality illumination in a compact unit that is perfect for commercial and multi-residential lighting applications. Hinged base allows you to adjust the light up to 90 degrees so you can direct the light where it's needed.
- COLOR & POWER SELECTABLE These fixtures allow you to choose the color temperature at the time of installation. Select 3000K Warm White, 4000K Cool White, or 5000K Daylight depending on your preference using a switch on the back. A second switch allows you to select between wattage for different lumen outputs. Choose 12 watts, 28 watts, or 35 watts and provide up to 4550 high output lumens depending on the watts you've chosen.
- EASY INSTALLATION Designed for hassle-free setup, this LED wallpack light fixture comes with a straightforward instruction manual, ensuring a quick and simple installation process for both residential and commercial use.
- MULTIPLE OUTDOOR USES These commercial grade fixtures feature a weather-resistant aluminum body finished in bronze. Ideal for security and general-purpose lighting along the perimeter of buildings, entryways, or anywhere extra lighting is needed. It is protected from low pressure water jets from any direction, condensation, and water spray, thanks to its IP 65 rating.
- UL LISTED UL Listed for safety and quality. DLC listed for



744 Clinton Street Brooklyn, NY, 11231 | 718.768.7000

sunlite

SPECIFICATIONS:

General Characteristics

Catalog # 49169-SU
LFX/SWP/MW/SCT/BRZ

General Characteristics		Product Dimensions	
Average Rated Hours	50000	Item Dimension (in)	(W) 6.5 (H) 8.1 (D) 3.85
Finish	Dark Bronze	Package Dimension (in)	(W) 7.5 (H) 9.5 (D) 5.12
Average Life Span Years	46	Package Weight (lb)	3.6
Dimmable	No	Product Data	
Dimming Type	Not Dimmable		
Material	Aluminum	Case Unit Rate	6
Lens Material	Polycarbonate	Item UPC	653703491691
Lens Finish	Clear	Warranty Years	5
Electrical Characteristics			
Watts	21/28/35		
Volts	120-347		
LED Chip Manufacturer	2835		
Power Factor	0.9		
Temperature	-40°F-113°F		

Lumens Brightness 2730/3640/4550 Color Rendering Index CRI 80 **Emitted Color** CCT Selectable Color Temperature Kelvin 30K/40K/50K 92° Beam Angle Flicker Yes

Fixture Characteristics

Mounting	Wall
Fixture Technology	LED
Use Location	Outdoor

Additional Features

Safety Rating Mark	UL Listed - Wet Location
Safety Rated For Canada	Yes
Safety Rated For USA	Yes
DLC	Yes
DLC Number	S-1T9ANZ
DLC Classification	Premium
Mercury Free	Yes

744 Clinton Street Brooklyn, NY, 11231 | 718.768.7000



ACCESSORIES:

Catalog # 85330-SU BUTTON

Catalog # 97091-SU PHOTO