Sunlite 81434 12" LED Outdoor Mission Style Light Fixture, Half Cylinder Wall Sconce, Selectable 3 CCT 3000K-5000K, 15 Watts, 800 Lumens, Non-Dimmable, Black Frame, For Porches, Garage & Entryways

DESCRIPTION:

Add a classic touch to any home or business with this Sunlite Outdoor LED-Wall Sconce. This half-cylinder light fixture combines an elegant and black grid design, making for a gorgeous-looking fixture. This fixture has adjustable LED color-changing technology (3000K, 4000K, 5000K), quickly meeting different demands in areas. The color temperature is adjusted to your preference with a simple switch inside the fixture. Tested to meet ETL's strict safety and design standards for wet location installation. Place it outside in front of doorways and garage entryways. Hardware and instructions for mounting on any standard junction box included. Dimensions: 6" W x 12" H x 4" D.

FEATURES:

- *SLEEK DESIGN - This half-cylinder light fixture combines an elegant and black grid design, making for a gorgeous-looking fixture. The acrylic tubular diffuser provides the perfect light distribution while centralizing the black mission style design. Perfect for layering lighting to create a well-lit and balanced space.*

- *MANY APPLICATIONS - Understated and vintage appeal, this fixture will add minimalistic curb appeal to any home. The cylinder light provides great lighting near your garage entrance by bright illumination. The minimalistic wall sconce spreads proper light over surrounding walls and ground. Its rounded acrylic diffuser to soften the light makes it perfect for porches, gateways, and entryways.*

- *MISSION STYLE - Add a classic touch to any home or business with this Sunlite Tunable LED Wall Fixture. The Mission-Style design black stainless-steel frame holds an opaque white acrylic lens. Output is a bright 800 lumens while only using 15 watts of electricity.*

- *SELECTABLE COLOR TEMPERATURE - This fixture has adjustable LED color-changing technology (3000K, 4000K, 5000K), quickly meeting different demands in areas. The color temperature is adjusted to your preference with a simple switch inside the fixture. PLEASE NOTE: Select the desired color temperature before completely mounting the fixture. (Instructions included).*

- *ETL LISTED - Tested to meet ETL's strict safety and design standards for wet location installation. Place it outside in front of doorways and garage entryways. Hardware and instructions for mounting on any standard junction box included. Dimensions: 6" W x 12" H x 4" D.*

SPECIFICATIONS:

General Characteristics

Average Rated Hours	*50000*
Finish	*White*
Average Life Span Years	*46*
Dimmable	*No*
Dimming Type	*Not Dimmable*
Material	*Stainless Steel*
Lens Material	*Acrylic*
Lens Finish	*White*

Electrical Characteristics

Watts	*15*
Volts	*100-277*
LED Chip Manufacturer	*2835*
Power Factor	*0.98*
Temperature	*-4°F - 113°F*

Light Characteristics

Lumens Brightness	*800*
Color Rendering Index CRI	*80*
Emitted Color	*CCT Selectable*
Color Temperature Kelvin	*30K/40K/50K*

Fixture Characteristics

Shape	*Half Cylinder*
Mounting	*Wall*
Fixture Technology	*LED*
Use Location	*Outdoor*

Additional Features

Safety Rating Mark	*ETL Listed - Wet Location*
Mercury Free	*Yes*

Product Dimensions

Size	*12*
Item Dimension (in)	*(W) 6.1 (H) 11.8 (D) 4.35*

Product Data

Case Unit Rate	*6*
Pack Size	*1*
Item UPC	*653703814346*
Warranty Years	*5*

ACCESSORIES:

Catalog # **98952-CMP**
Universal