

Sunlite 85589 2-Inch LED Round Regressed Downlight Fixture, 15 Watts, 1055 Lumens, Canless, Color Selectable 27K/30K/35K/40K/50K, 90 CRI, Energy Star, Dimmable, ETL Listed, Title-24 Compliant, 1 Pack



DESCRIPTION:

Upgrade your lighting environment with Sunlite's Regressed fixtures. Made of robust die-cast aluminum alloy, these fixtures are built to last and ensure optimal heat dissipation. The smooth white trim reduces glare, creating a more pleasing environment. With the color tunable feature, you can choose between 2700K Soft White, 3000K Warm White, 3500K Neutral White, 4000K Cool White, or even 5000K Daylight depending on your preferences. The seamless dimming feature allows you to lower the brightness of your lights (10%-100%) Forward Phase (Triac or Incandescent) for nighttime reading or to fit any mood or décor. Energy Star Certified fixtures only use 15 watts of electricity with a high lumen output of 1055, providing years of reliable and maintenance-free service with an estimated annual energy cost of \$1.81 (Based on 3 Hrs/Day at \$0.11/kWh). These ETL Listed fixtures come with mounting hardware and installation instructions and are ideal for Entryways, Living Rooms, Conference Room, Kitchen & Closets. Title-24 Compliant. Fixture Dimensions 4.92" H x 3.13" D.

FEATURES:

- **REGRESSED DESIGN** - Made of robust die-cast aluminum alloy for optimal heat dissipation and long life. The fixture reduces glare with a scratch resistant smooth white trim, creating a more pleasing environment. Tailored to be perfectly compatible with the Sunlite 85594 2-Inch Black Round Trim (B0CJDBMX17) or Sunlite 85594 2-Inch White Square Trim (B0CJCWML48), facilitating a harmonized and seamless integration into your existing lighting setup.
- **COLOR SELECTABLE** - These dimmable fixtures let you pick the color temperature using a switch on the junction box, you can choose between 2700K Soft White, 3000K Warm White, 3500K Neutral White, 4000K Cool White, or even 5000K Daylight depending on your preferences.
- **DIMMABLE** - The seamless dimming feature allows you to lower the brightness of your lights (10%-100%) Forward Phase (Triac or Incandescent) to fit any mood or décor.



10-hour life span, these maintenance-free service with a high lumen energy costs of \$1.81. Installing these qualify you for state or

- **ETL LISTED** - These are ETL Listed for wet location

SPECIFICATIONS:

General Characteristics

Average Rated Hours	50000
Finish	White
Average Life Span Years	46
Dimmable	Yes
Dimming Type	Forward Phase (Triac or Incandescent)
Dimming Percentage	10-100%
Lens Material	PMMA
Lens Finish	Clear
Application	Residential

Electrical Characteristics

Watts	15
Volts	120
Equivalent Wattage	75
LED Chip Manufacturer	COB
Power Factor	0.9
Temperature	-4°F - 104°F

Light Characteristics

Lumens Brightness	1055
Color Rendering Index CRI	90
Emitted Color	CCT Selectable
Color Temperature Kelvin	27K/30K/35K/40K/50K
Beam Angle	38°
Flicker	No

Fixture Characteristics

Style	Regressed
Shape	Round
Number of Lights	1
Mounting	Recessed
IC Rating	Yes
Fixture Technology	LED
Use Location	Indoor

Additional Features

Safety Rating Mark	ETL Listed - Wet Location
Safety Rated For USA	Yes
Energy Star	Yes
Energy Star Number	2452997
Mercury Free	Yes

Product Dimensions

Size	2"
MOL (in)	4.92
Diameter (in)	3.13
Item Dimension (in)	(W) 3.13 (H) 4.92 (D) 3.13
Cord Length	12

Product Data

Case Unit Rate	12
Pack Size	1
Item UPC	653703855899
Warranty Years	5

ACCESSORIES:

Catalog # 85592-SU
TRIM/DAD/2R/BK

Catalog # 85593-SU
TRIM/DAD/2R/BN

Catalog # 85594-SU
TRIM/DAD/2S/WH

Catalog # 85595-SU
TRIM/DAD/2S/BK

Catalog # 85596-SU
TRIM/DAD/2S/BN