

Sunlite 85590 4-Inch LED Round Regressed Downlight Fixture, 18 Watts, 1360 Lumens, Canless, Color Selectable 27K/30K/35K/40K/50K, 90 CRI, Energy Star, Dimmable, ETL Listed, Title-24 Compliant, 1 Pack

## **DESCRIPTION:**

Upgrade your lighting environment with Sunlite's Regressed fixtures. Made of robust die-cast aluminum allov, these fixtures are built to last and ensure optimal heat dissipation. The smooth white trim reduces glare, creating a more pleasing environment. With the color tunable feature, you can choose between 2700K Soft White, 3000K Warm White, 3500K Neutral White, 4000K Cool White, or even 5000K Daylight depending on your preferences. The seamless dimming feature allows you to lower the brightness of your lights (10%-100%) Forward Phase (Triac or Incandescent) for nighttime reading or to fit any mood or décor. Energy Star Certified fixtures only use 18 watts of electricity with a high lumen output of 1360, providing years of reliable and maintenancefree service with an estimated annual energy cost of \$2.19 (Based on 3 Hrs/Day at \$0.11/kWh). These ETL Listed fixtures come with mounting hardware and installation instructions and are ideal for Entryways, Living Rooms, Conference Room, Kitchen & Closets. Title-24 Compliant. Fixture Dimensions 4.8" H x 4.5" D.

## FEATURES:

- REGRESSED DESIGN Made of robust die-cast aluminum alloy for optimal heat dissipation and long life. The fixture reduces glare with a scratch resistant smooth white trim, creating a more pleasing environment. Tailored to be perfectly compatible with the Sunlite 85597 4-Inch Black Round Trim (B0CJCVW6GG) or Sunlite 85599 4-Inch White Square Trim (B0CJCVZ4XL), facilitating a harmonized and seamless integration into your existing lighting setup.
- COLOR SELECTABLE These dimmable fixtures let you pick the color temperature using a switch on the junction box, you can choose between 2700K Soft White, 3000K Warm White, 3500K Neutral White, 4000K Cool White, or even 5000K Daylight depending on your preferences.
- DIMMABLE The seamless dimming feature allows you to lower the brightness of your lights (10%-100%) Forward



No-hour life span, these aintenance-free service with a high lumen nergy costs of \$2.19
Installing these jualify you for state or

local energy rebates.





# SPECIFICATIONS:

## **General Characteristics**

Average Rated Hours50000FinishWhiteAverage Life Span Years46DimmableYes

Dimming Type
Forward Phase (Triac or Incandescent)
Dimming Percentage
Lens Material
PMMA
Lens Finish
Clear

Residential

Application

## **Electrical Characteristics**

Watts18Volts120Equivalent Wattage75LED Chip ManufacturerCOBPower Factor0.9

**Temperature** -4°F - 104°F

# Light Characteristics

Lumens Brightness1360Color Rendering Index CRI90

Emitted Color CCT Selectable

Color Temperature Kelvin 27K/30K/35K/40K/50K

Beam Angle 38° Flicker No

## Fixture Characteristics

StyleRegressedShapeRoundNumber of Lights1MountingRecessed

IC Rating
Fixture Technology
Use Location

Kecesser
Yes
LED
Indoor

## Additional Features

Safety Rating Mark ETL Listed - Wet Location

Safety Rated For Canada
Yes
Safety Rated For USA
Yes
Energy Star
Energy Star Number
2453210
Mercury Free
Yes

## **Product Dimensions**

 Size
 4"

 MOL (in)
 4.8

 Diameter (in)
 4.5

 Item Dimension (in)
 (W) 4.5 (H) 4.8 (D) 4.5

 Cord Length
 12

#### **Product Data**

Case Unit Rate 12
Pack Size 1

Item UPC 653703855905

Warranty Years 5



# **ACCESSORIES:**

Catalog # 85597-SU TRIM/DAD/4R/BK

Catalog # 85598-SU TRIM/DAD/4R/BN

Catalog # 85599-SU TRIM/DAD/4S/WH

Catalog # 85600-SU TRIM/DAD/4S/BK

Catalog # 85601-SU TRIM/DAD/4S/BN