

Sunlite 85591 6-Inch LED Round Regressed Downlight Fixture, 24 Watts, 1735 Lumens, Canless, Color Selectable 27K/30K/35K/40K/50K, 90 CRI, Energy Star, Dimmable, ETL Listed, Title-24 Compliant, 1 Pack

DESCRIPTION:

Upgrade your lighting environment with Sunlite's Regressed fixtures. Made of robust die-cast aluminum allov, these fixtures are built to last and ensure optimal heat dissipation. The smooth white trim reduces glare, creating a more pleasing environment. With the color tunable feature, you can choose between 2700K Soft White, 3000K Warm White, 3500K Neutral White, 4000K Cool White, or even 5000K Daylight depending on your preferences. The seamless dimming feature allows you to lower the brightness of your lights (10%-100%) Forward Phase (Triac or Incandescent) for nighttime reading or to fit any mood or décor. Energy Star Certified fixtures only use 24 watts of electricity with a high lumen output of 1735, providing years of reliable and maintenancefree service with an estimated annual energy cost of \$2.89 (Based on 3 Hrs/Day at \$0.11/kWh). These ETL Listed fixtures come with mounting hardware and installation instructions and are ideal for Entryways, Living Rooms, Conference Room, Kitchen & Closets. Title-24 Compliant. Fixture Dimensions 2.95" H x 7.3" D.

FEATURES:

- REGRESSED DESIGN Made of robust die-cast aluminum alloy for optimal heat dissipation and long life. The fixture reduces glare with a scratch resistant smooth white trim, creating a more pleasing environment. Tailored to be perfectly compatible with the Sunlite 85602 6-Inch Black Round Trim (B0CJCWQGMQ), facilitating a harmonized and seamless integration into your existing lighting setup.
- COLOR SELECTABLE These dimmable fixtures let you pick the color temperature using a switch on the junction box, you can choose between 2700K Soft White, 3000K Warm White, 3500K Neutral White, 4000K Cool White, or even 5000K Daylight depending on your preferences.
- DIMMABLE The seamless dimming feature allows you to lower the brightness of your lights (10%-100%) Forward Phase (Triac or Incandescent) to fit any mood or décor. High color rendering at 90 CRI.



d for wet location installation. Mounting hardware and installation instructions





SPECIFICATIONS:

General Characteristics

Average Rated Hours

Finish

White

Average Life Span Years

Dimmable

Dimming Type

50000

White

46

Yes

Forward Phase (Triac or

Dimming Percentage 10-100%

Lens Material PMMA

Lens Finish Clear

Application Residential

Electrical Characteristics

Watts 24
Volts 120
Equivalent Wattage 100
LED Chip Manufacturer COB
Power Factor 0.9

Temperature -4°F - 104°F

Light Characteristics

Lumens Brightness1735Color Rendering Index CRI90

Emitted Color CCT Selectable

Color Temperature Kelvin 27K/30K/35K/40K/50K

Beam Angle 38° Flicker No

Fixture Characteristics

StyleRegressedShapeRoundMountingRecessedIC RatingYesFixture TechnologyLEDUse LocationIndoor

Additional Features

Safety Rating Mark

Safety Rated For Canada

Safety Rated For USA

Energy Star

Energy Star Number

Mercury Free

ETL Listed - Wet Location

Yes

Yes

2452998

Yes

Product Dimensions

 Size
 6"

 MOL (in)
 2.95

 Diameter (in)
 7.3

 Item Dimension (in)
 (W) 7.3 (H) 2.95 (D) 7.3

 Cord Length
 12

Product Data

Case Unit Rate 12
Pack Size 1

Item UPC 653703855912

Warranty Years 5



ACCESSORIES:

Catalog # 85602-SU TRIM/DAD/6R/BK

Catalog # 85603-SU TRIM/DAD/6R/BN

Catalog # 85604-SU TRIM/DAD/6S/WH

Catalog # 85605-SU TRIM/DAD/6S/BK

Catalog # 85606-SU TRIM/DAD/6S/BN