

Sunlite 87800 LED 4" Round Recessed Slim Downlight Fixture, 12 Watts, 700 Lmns, CCT Switch 27K/30K/35K/40K/50K, 90 CRI, Dimmable, Energy Star, ETL Listed, Matte White, Title-24 Compliant, 1 Pack


Slim

DESCRIPTION:

Sunlite's 4-inch Round Recessed Slim Downlight fixture features an ultra-slim design for a modern, minimalistic look that suits any interior style. This versatile fixture is perfect for new installations or retrofit replacements in low-clearance applications, requiring no housing. The color-selectable, dimmable LED light offers a bright 700-lumen output, with selectable color temperatures ranging from 27K to 50K using a switch in the remote box. The fixture can be dimmed (100-10%) when installed with a Forward Phase (Triac or Incandescent) dimmer and enjoy accurate color perception with a high 90 CRI rating. This energy-efficient fixture provides 50,000 hours of maintenance-free service, using only 12 watts of electricity while delivering performance comparable to a 65watt bulb. Estimated annual energy costs of \$1.45 (Based on 3 Hrs/Day at \$0.11/kWh). Installing these Energy Star Certified fixtures may qualify you for state or local energy rebates. ETL listed for wet location installation. This fixture is perfect for entryways, bedrooms, kitchens, hallways, and bathrooms. Junction box for wire connections included. Fixture Dimension 1" H x 4.8" D.



- ULTRA SLIM DESIGN The 4-inch round recessed slim downlight fixture ensures a modern, minimalistic look that complements any interior style. The shallow depth makes for easier installation, especially in low-clearance applications. No housing is required. Use these 4-Inch round fixtures for new facilities or as a retrofit replacement for existing recessed lighting.
- COLOR SELECTABLE This dimmable fixture puts out a bright 700 lumen and allows you to choose the color temperature at the time of installation. Selectable 27K/30K/35K/40K/50K color, depending on your preference, using a switch located within the remote box of the fixture.
- DIMMABLE The fixture can be dimmed (100-10%) when installed with a Forward Phase (Triac or Incandescent)
 Significant Control of the Property of th



Hrs/Day at \$0.11/kWh). Installing these Energy Star





SPECIFICATIONS:

General Characteristics

Average Rated Hours
Finish

Average Life Span Years

Dimmable

Dimming Type

Dimming Percentage

Material Lens Materia

Lens Material Lens Finish Application 50000 White 46

Yes

Forward Phase (Triac or

Incandescent) 10-100%

Aluminum Polycarbonate

Frosted Residential

Electrical Characteristics

 Watts
 12

 Volts
 120

LED Chip Manufacturer SMD2835

Power Factor 0.9

Temperature -4°F~104°F

Light Characteristics

Lumens Brightness 700
Color Rendering Index CRI 90

Emitted Color CCT Selectable

Color Temperature Kelvin 27K/30K/35K/40K/50K

Beam Angle 110°

Fixture Characteristics

Shape Round
Number of Lights 1

MountingRecessedIC RatingYesFixture TechnologyLEDUse LocationIndoor

Additional Features

Safety Rating Mark ETL Listed - Wet Location

Safety Rated For Canada Yes
Safety Rated For USA Yes
Energy Star Yes
Energy Star Number 2610388
Mercury Free Yes

Product Dimensions

Size 4"

 Item Dimension (in)
 (W) 4.8 (H) 1 (D) 4.8

 Item Weight (lb)
 0.8

Product Data

Case Unit Rate

Item UPC 653703878003

3

Warranty Years



ACCESSORIES:

Catalog # **88154-SU**