

LED Lamps

Decorative LED Filament A15 Lamps

- 40W and 60W Incandescent Equivalents
- Classic Petite A-Shape Glass
- High Color Quality with 90+ CRI
- Title 20 Compliant

Specifications

Description

Halco's Decorative LED Filament A15 bulbs seamlessly blend classic elegance with modern efficiency. Available in 450 and 800 lumen options with a crisp 90+ CRI, these lamps showcase traditional filament designs encased in clear or frosted glass, complemented by versatile E12 and E26 bases to fit a wide range of fixtures. Offered in warm and daylight tones, they deliver smooth Triac dimming and reliable long-term performance, engineered for both indoor and protected outdoor environments. An excellent choice for decorative and accent lighting in residential, hospitality, retail, commercial, and event settings.

Performance

- Color temperature options: 2700K, 3000K, 5000K
- Up to 91 lumens per watt
- 450 to 800 lumen options
- CRI 90+
- L70 Lumen maintenance > 15,000 hours
- Triac dimmable
- 120V
- -20°C to 40°C operating temperature
- 2 Year limited warranty

Construction

- Clear & Frosted glass lens options
- Filament style LED
- E12 & E26 base options
- Nickel-plated aluminum base



Applications

- Residential Decorative and Accent Lighting
- Hospitality and Restaurant Lighting
- Retail Display Lighting
- Commercial and Office Accent Lighting
- Event and Specialty Lighting

Certifications

- UL listed for wet locations
- FCC part 15 compliant
- Title 20 compliant

Decorative LED Filament A15 Lamps

Ordering Logic:

Wattage / Shape	Finish	Technology / Generation	CRI / CCT	Base	Dimming
5A15 = 5W, A15 Bulb 9A15 = 9W, A15 Bulb	CL = Clear FR = Frosted	FLED4 = Filament LED Generation 4	927 = 90 CRI, 2700K 930 = 90 CRI, 3000K 950 = 90 CRI, 5000K	E12 = E12 Base E26 = E26 Base	D = Dimmable

Ordering Information

Product SKU	Product Code	Product Description	Equiv Watts	Replaces
82500	5A15-CL-FLED4-927-E12-D	A15 lamp with E12 base, 2700K and 450 lumens, Clear Dimmable	40W	
82501	5A15-CL-FLED4-930-E12-D	A15 lamp with E12 base, 3000K and 450 lumens, Clear, Dimmable	40W	
82502	5A15-CL-FLED4-950-E12-D	A15 lamp with E12 base, 5000K and 450 lumens, Clear, Dimmable	40W	
82503	5A15-FR-FLED4-927-E12-D	A15 lamp with E12 base, 2700K and 450 lumens, Frosted, Dimmable	40W	
82504	5A15-FR-FLED4-930-E12-D	A15 lamp with E12 base, 3000K and 450 lumens, Frosted, Dimmable	40W	
82505	5A15-FR-FLED4-950-E12-D	A15 lamp with E12 base, 5000K and 450 lumens, Frosted, Dimmable	40W	
82506	9A15-CL-FLED4-927-E12-D	A15 lamp with E12 base, 2700K and 800 lumens, Clear, Dimmable	60W	
82507	9A15-CL-FLED4-930-E12-D	A15 lamp with E12 base, 3000K and 800 lumens, Clear, Dimmable	60W	
82508	9A15-CL-FLED4-950-E12-D	A15 lamp with E12 base, 5000K and 800 lumens, Clear, Dimmable	60W	
82509	9A15-FR-FLED4-927-E12-D	A15 lamp with E12 base, 2700K and 800 lumens, Frosted, Dimmable	60W	
82510	9A15-FR-FLED4-930-E12-D	A15 lamp with E12 base, 3000K and 800 lumens, Frosted, Dimmable	60W	
82511	9A15-FR-FLED4-950-E12-D	A15 lamp with E12 base, 5000K and 800 lumens, Frosted, Dimmable	60W	
82512	5A15-CL-FLED4-927-E26-D	A15 lamp with E26 base, 2700K and 450 lumens, Clear, Dimmable	40W	85035
82513	5A15-CL-FLED4-930-E26-D	A15 lamp with E26 base, 3000K and 450 lumens, Clear, Dimmable	40W	
82514	5A15-CL-FLED4-950-E26-D	A15 lamp with E26 base, 5000K and 450 lumens, Clear, Dimmable	40W	
82515	5A15-FR-FLED4-927-E26-D	A15 lamp with E26 base, 2700K and 450 lumens, Frosted, Dimmable	40W	
82516	5A15-FR-FLED4-930-E26-D	A15 lamp with E26 base, 3000K and 450 lumens, Frosted, Dimmable	40W	
82517	5A15-FR-FLED4-950-E26-D	A15 lamp with E26 base, 5000K and 450 lumens, Frosted, Dimmable	40W	
82518	9A15-CL-FLED4-927-E26-D	A15 lamp with E26 base, 2700K and 800 lumens, Clear, Dimmable	60W	
82519	9A15-CL-FLED4-930-E26-D	A15 lamp with E26 base, 3000K and 800 lumens, Clear, Dimmable	60W	
82520	9A15-CL-FLED4-950-E26-D	A15 lamp with E26 base, 5000K and 800 lumens, Clear, Dimmable	60W	
82521	9A15-FR-FLED4-927-E26-D	A15 lamp with E26 base, 2700K and 800 lumens, Frosted, Dimmable	60W	
82522	9A15-FR-FLED4-930-E26-D	A15 lamp with E26 base, 3000K and 800 lumens, Frosted, Dimmable	60W	
82523	9A15-FR-FLED4-950-E26-D	A15 lamp with E26 base, 5000K and 800 lumens, Frosted, Dimmable	60W	

Decorative LED Filament A15 Lamps

Performance Table

Product Code	Wattage	2700K		3000K		5000K	
		Lumen (lm)	Efficacy (lm/W)	Lumen (lm)	Efficacy (lm/W)	Lumen (lm)	Efficacy (lm/W)
5A15-CL-FLED4-9XX-E12-D	5	450	90	450	90	450	90
5A15-FR-FLED4-9XX-E12-D	5	450	90	450	90	450	90
9A15-CL-FLED4-9XX-E12-D	8.8	800	91	800	91	800	91
9A15-FR-FLED4-9XX-E12-D	8.8	800	91	800	91	800	91
5A15-CL-FLED4-9XX-E26-D	5	450	90	450	90	450	90
5A15-FR-FLED4-9XX-E26-D	5	450	90	450	90	450	90
9A15-CL-FLED4-9XX-E26-D	8.8	800	91	800	91	800	91
9A15-FR-FLED4-9XX-E26-D	8.8	800	91	800	91	800	91

Decorative LED Filament A15 Lamps

Specifications Table

	5A15-CL-FLED4-9XX-E12-D	5A15-FR-FLED4-9XX-E12-D	9A15-CL-FLED4-9XX-E12-D	9A15-FR-FLED4-9XX-E12-D
Nominal Wattage	5W		8.8W	
Delivered Lumens	450		800	
Efficacy (lm/W)	90LPW		91LPW	
CCT	2700K, 3000K or 5000K			
CRI	90			
L70 Lifetime (hrs)	15,000			
Voltage	120V			
Power Factor	0.7			
Dimming	Yes			
Housing Material	Glass			
Base Material	Nickel-plated aluminium			
Operating Temperature (Min)	-20°C			
Operating Temperature (Max)	40°C			
Listings	cULus - FCC - Title 20 - Wet Location Rated			
Environment	Wet Location			
Warranty (Years)	2			
Weight (lbs.)	0.044			
Frequency	60Hz			

Decorative LED Filament A15 Lamps

Specifications Table continued

	5A15-CL-FLED4-9XX-E26-D	5A15-FR-FLED4-9XX-E26-D	9A15-CL-FLED4-9XX-E26-D	9A15-FR-FLED4-9XX-E26-D
Nominal Wattage	5W		8.8W	
Delivered Lumens	450		800	
Efficacy (lm/W)	90LPW		91LPW	
CCT	2700K, 3000K or 5000K			
CRI	90			
L70 Lifetime (hrs)	15,000			
Voltage	120V			
Power Factor	0.7			
Dimming	Yes			
Housing Material	Glass			
Base Material	Nickel-plated aluminium			
Operating Temperature (Min)	-20°C			
Operating Temperature (Max)	40°C			
Listings	cULus - FCC - Title 20 - Wet Location Rated			
Environment	Wet Location			
Warranty (Years)	2			
Weight (lbs.)	0.055			
Frequency	60Hz			



LED Lamps

Decorative LED Filament A15 Lamps

Dimensions



5A15-CL-FLED4-9XX-E12-D
5A15-FR-FLED4-9XX-E12-D

9A15-CL-FLED4-9XX-E12-D
9A15-FR-FLED4-9XX-E12-D



5A15-CL-FLED4-9XX-E26-D
5A15-FR-FLED4-9XX-E26-D

9A15-CL-FLED4-9XX-E26-D
9A15-FR-FLED4-9XX-E26-D



Decorative LED Filament A15 Lamps

Dimmer Compatability List

Dimmer Brand	Dimmer Model
Lutron	DVCL-153PR-WH
Lutron	MACL-153MLH-WH
Lutron	STCL-153PH-WH
Leviton	R00-RNL06-OTW
Leviton	R02-DW6HD-2RW
KasaTP-link	HS220
Commercial Electric	HPDA311CWB