

## LED Lamps

### Decorative LED Filament ST19 Lamps

- 60W and 75W Incandescent Equivalents
- Vintage Edison Style Glass Shape
- High Color Quality with 90+ CRI
- Title 20 Compliant
- Select Models Meet Title 24 Requirements

### Specifications

#### Description

Halco's Decorative LED Filament ST19 lamps bring timeless character to modern spaces with their iconic Edison-style design and clear glass finish. Offering warm or daylight tones and smooth dimming, these lamps provide up to 810 lumens of vibrant 90+ CRI light—ideal for exposed pendants, wall fixtures, and statement lighting. With 60W and 75W replacement options and energy-saving LED performance, they're a stylish solution for residential, retail, and hospitality environments where atmosphere matters.

#### Performance

- Color temperature options: 2700K, 3000K, 5000K
- Up to 100 lumens per watt
- 500 to 810 lumen options
- CRI 90+
- L70 Lumen maintenance > 15,000 hours
- Triac dimmable
- 120V
- -20°C to 40°C operating temperature
- 2 year limited warranty

#### Construction

- Clear glass lens
- Filament style LED
- E26 base
- Nickel-plated aluminum base



#### Applications

- Decorative Pendant Lights
- Chandeliers and Multi-Light Fixtures
- Residential Ambient and Accent Lighting
- Hospitality and Restaurant Lighting
- Retail and Specialty Lighting

#### Certifications

- UL listed for wet locations
- FCC part 15 compliant
- Title 20 compliant
- Title 24 compliant options

## Decorative LED Filament ST19 Lamps

### Ordering Logic:

Wattage / Shape	Finish	Technology / Generation	CRI / CCT	Base	Dimming	Standard
<b>5ST19</b> = 5W, ST19 Bulb <b>9ST19</b> = 9W, ST19 Bulb	<b>CL</b> = Clear	<b>FLED4</b> = Filament LED Generation 4	<b>927</b> = 90 CRI, 2700K <b>930</b> = 90 CRI, 3000K <b>950</b> = 90 CRI, 5000K	<b>E26</b> = E26 Base	<b>D</b> = Dimmable	<b>T24</b> = Title 24

### Ordering Information

Product SKU	Product Code	Product Description	Equiv Watts	Replaces SKU
82690	5ST19-CL-FLED4-927-E26-D	ST19 lamp with E26 base, 2700K and 500 lumen, Clear, Dimmable	60W	85043; 85145
82691	5ST19-CL-FLED4-930-E26-D	ST19 lamp with E26 base, 3000K and 500 lumen, Clear, Dimmable	60W	85143
82692	5ST19-CL-FLED4-950-E26-D	ST19 lamp with E26 base, 5000K and 500 lumen, Clear, Dimmable	60W	
82693	9ST19-CL-FLED4-927-E26-D-T24	ST19 lamp with E26 base, 2700K and 800 lumen, Clear, Dimmable, T24 Compliant	75W	85145; 85147
82694	9ST19-CL-FLED4-930-E26-D-T24	ST19 lamp with E26 base, 3000K and 800 lumen, Clear, Dimmable, T24 Compliant	75W	85089; 85143
82695	9ST19-CL-FLED4-950-E26-D-T24	ST19 lamp with E26 base, 5000K and 800 lumen, Clear, Dimmable, T24 Compliant	75W	

### Performance Table

Product Code	Wattage	2700K		3000K		5000K	
		Lumen (lm)	Efficacy (lm/W)	Lumen (lm)	Efficacy (lm/W)	Lumen (lm)	Efficacy (lm/W)
<b>5ST19-CL-FLED4-9XX-E26-D</b>	5	500	100	500	100	500	100
<b>9ST19-CL-FLED4-9XX-E26-D-T24</b>	9	810	90	810	90	810	90

## Decorative LED Filament ST19 Lamps

### Specifications Table


	5ST19-CL-FLED4-927-E26-D	5ST19-CL-FLED4-930-E26-D	5ST19-CL-FLED4-950-E26-D	9ST19-CL-FLED4-927-E26-D-T24	9ST19-CL-FLED4-930-E26-D-T24	9ST19-CL-FLED4-950-E26-D-T24
<b>Nominal Wattage</b>	5W			5W		
<b>Delivered Lumens</b>	500			500		
<b>Efficacy (lm/W)</b>	100 LPW			100 LPW		
<b>CCT</b>	2700K, 3000K or 5000K			2700K, 3000K or 5000K		
<b>CRI</b>	90			90		
<b>L70 Lifetime (hrs)</b>	15,000			15,000		
<b>Voltage</b>	120V			120V		
<b>Power Factor</b>	0.7			0.9		
<b>Dimming</b>	Yes			Yes		
<b>Housing Material</b>	Glass			Glass		
<b>Base Material</b>	Nickel-plated aluminium			Nickel-plated aluminium		
<b>Operating Temperature (Min)</b>	-20°C			-20°C		
<b>Operating Temperature (Max)</b>	40°C			40°C		
<b>Listings</b>	cULus - FCC - Title 20 - Wet Location Rated			cULus - FCC - Title 20 - Title 24 - Wet Location Rated		
<b>Environment</b>	Wet Location			Wet Location		
<b>Warranty (Years)</b>	2			2		
<b>Weight (lbs.)</b>	0.090			0.090		
<b>Frequency</b>	60Hz			60Hz		

DATE: \_\_\_\_\_ LOCATION: \_\_\_\_\_  
 TYPE: \_\_\_\_\_ PROJECT: \_\_\_\_\_  
 CATALOG #: \_\_\_\_\_

## Decorative LED Filament ST19 Lamps

### Dimensions

5ST19-CL-FLED4-9XX-E26-D  
 9ST19-CL-FLED4-9XX-E26-D-T24



### Dimmer Compatability List

Dimmer Brand	Dimmer Model
Lutron	DVCL-153PR-WH
Lutron	MACL-153MLH-WH
Lutron	STCL-153PH-WH
Leviton	R00-RNLO6-OTW
Leviton	R02-DW6HD-2RW
KasaTP-link	HS220
Commercial Electric	HPDA311CWB