

## LED Lamps

### Decorative LED Filament Tube Lamps

- 40W and 60W Incandescent Equivalents
- Slim Tubular Glass Shapes
- High Color Quality with 90+ CRI
- Title 20 Compliant

### Specifications

#### Description

Halco's Decorative LED Filament Tube Series blends vintage form with modern LED performance for a sleek, minimalist aesthetic. Designed with clear glass and exposed filament styling, these T8, T10, and T14 lamps deliver up to 800 lumens of crisp, 90+ CRI light in warm or daylight tones. Ideal for open sconces, wall accents, and statement fixtures, they offer smooth dimming and energy-efficient operation with E12 or E26 base options. A stylish solution for residential, retail, and hospitality settings that call for both character and performance.

#### Performance

- Color temperature options: 2700K, 3000K, 5000K
- Up to 91 lumens per watt
- 450 to 800 lumen options
- CRI 90+
- L70 Lumen maintenance > 15,000 hours
- Triac dimmable
- 120V
- -20°C to 40°C operating temperature
- 2 year limited warranty

#### Construction

- Clear glass lens
- Filament style LED
- Nickel-plated aluminum base
- T8: E12 base
- T10 & T14: E26 base



#### Applications

- Decorative Linear Fixtures
- Retail and Display Lighting
- Residential Accent and Ambient Lighting
- Hospitality and Restaurant Lighting
- Event and Specialty Lighting

#### Certifications

- UL listed for wet locations
- FCC part 15 compliant
- Title 20 compliant

LED Lamps

## Decorative LED Filament Tube Lamps

### Ordering Logic

Wattage / Shape	Finish	Technology / Generation	CRI / CCT	Base	Dimming
5T8 = 5W, T8 Bulb 5T10 = 5W, T10 Bulb 9T10 = 9W, T10 Bulb 5T14 = 5W, T14 Bulb 9T14 = 9W, T14 Bulb	CL = Clear	FLED4 = Filament LED Generation 4	927 = 90 CRI, 2700K 930 = 90 CRI, 3000K 950 = 90 CRI, 5000K	E12 = E12 Base E26 = E26 Base	D = Dimmable

### Ordering Information

Product SKU	Product Code	Product Description	Equiv Watts	Replaces
82696	5T8-CL-FLED4-927-E12-D	T8 lamp with E12 base, 2700K and 450 lumen, Clear, Dimmable	40W	
82697	5T8-CL-FLED4-930-E12-D	T8 lamp with E12 base, 3000K and 450 lumen, Clear, Dimmable	40W	
82698	5T8-CL-FLED4-950-E12-D	T8 lamp with E12 base, 5000K and 450 lumen, Clear, Dimmable	40W	
82699	5T10-CL-FLED4-927-E26-D	T10 - 5in lamp with E26 base, 2700K and 450 lumen, Clear, Dimmable	40W	85074
82700	5T10-CL-FLED4-930-E26-D	T10 - 5in lamp with E26 base, 3000K and 450 lumen, Clear, Dimmable	40W	
82701	5T10-CL-FLED4-950-E26-D	T10 - 5in lamp with E26 base, 5000K and 450 lumen, Clear, Dimmable	40W	
82702	9T10-CL-FLED4-927-E26-D	T10 - 6.5in lamp with E26 base, 2700K and 800 lumen, Clear, Dimmable	60W	
82703	9T10-CL-FLED4-930-E26-D	T10 - 6.5in lamp with E26 base, 3000K and 800 lumen, Clear, Dimmable	60W	
82704	9T10-CL-FLED4-950-E26-D	T10 - 6.5in lamp with E26 base, 5000K and 800 lumen, Clear, Dimmable	60W	
82705	5T14-CL-FLED4-927-E26-D	T14 - 4.25in lamp with E26 base, 2700K and 450 lumen, Clear, Dimmable	40W	85073
82706	5T14-CL-FLED4-930-E26-D	T14 - 4.25in lamp with E26 base, 3000K and 450 lumen, Clear, Dimmable	40W	
82707	5T14-CL-FLED4-950-E26-D	T14 - 4.25in lamp with E26 base, 5000K and 450 lumen, Clear, Dimmable	40W	
82708	9T14-CL-FLED4-927-E26-D	T14 - 4.25in lamp with E26 base, 2700K and 800 lumen, Clear, Dimmable	60W	
82709	9T14-CL-FLED4-930-E26-D	T14 - 4.25in lamp with E26 base, 3000K and 800 lumen, Clear, Dimmable	60W	
82710	9T14-CL-FLED4-950-E26-D	T14 - 4.25in lamp with E26 base, 5000K and 800 lumen, Clear, Dimmable	60W	

### Performance Table

Product Code	Wattage	2700K		3000K		5000K	
		Lumen (lm)	Efficacy (lm/W)	Lumen (lm)	Efficacy (lm/W)	Lumen (lm)	Efficacy (lm/W)
5T8-CL-FLED4-9XX-E12-D	5	450	90	450	90	450	90
5T10-CL-FLED4-9XX-E26-D	5	450	90	450	90	450	90
9T10-CL-FLED4-9XX-E26-D	8.8	800	91	800	91	800	91
5T14-CL-FLED4-9XX-E26-D	5	450	90	450	90	450	90
9T14-CL-FLED4-9XX-E26-D	8.8	800	91	800	91	800	91

## Decorative LED Filament Tube Lamps

### Specifications Table


	5T8-CL-FLED4-9XX-E12-D	5T10-CL-FLED4-9XX-E26-D	9T10-CL-FLED4-9XX-E26-D	5T14-CL-FLED4-9XX-E26-D	9T14-CL-FLED4-9XX-E26-D
<b>Nominal Wattage</b>	5W	5W	8.8W	5W	8.8W
<b>Delivered Lumens</b>	450	450	800	450	800
<b>Efficacy (lm/W)</b>	90 LPW	90 LPW	91 LPW	90 LPW	91 LPW
<b>CCT</b>	2700K, 3000K or 5000K				
<b>CRI</b>	90				
<b>L70 Lifetime (hrs)</b>	15,000				
<b>Voltage</b>	120V				
<b>Power Factor</b>	0.7				
<b>Dimming</b>	Yes				
<b>Housing Material</b>	Glass				
<b>Base Material</b>	Nickel-plated aluminium				
<b>Operating Temperature (Min)</b>	-20°C				
<b>Operating Temperature (Max)</b>	40°C				
<b>Listings</b>	cULus - FCC - Title 20 - Wet Location Rated				
<b>Environment</b>	Wet Location				
<b>Warranty (Years)</b>	2				
<b>Weight (lbs.)</b>	0.026	0.068	0.086	0.057	0.057
<b>Frequency</b>	60Hz				

LED Lamps


## Decorative LED Filament Tube Lamps

### Dimensions


5T8-CL-FLED4-9XX-E12-D




5T10-CL-FLED4-9XX-E26-D



9T10-CL-FLED4-9XX-E26-D



5T14-CL-FLED4-9XX-E26-D  
 9T14-CL-FLED4-9XX-E26-D



### Dimmer Compatability List

Dimmer Brand	Dimmer Model
Lutron	DVCL-153PR-WH
Lutron	MACL-153MLH-WH
Lutron	STCL-153PH-WH
Leviton	R00-RNLO6-OTW
Leviton	RO2-DW6HD-2RW
KasaTP-link	HS220
Commercial Electric	HPDA311CWB