

LED Lamps

Decorative LED Filament 3-Way Lamps

- 60W Incandescent Equivalents
- Classic A19, B11 and CA11 Glass Shapes
- 3-Way Dimming for Adjustable Brightness
- High Color Quality with 90+ CRI

Specifications

Description

Halco's Decorative LED Filament 3-Way Series brings flexible, layered lighting to classic decorative forms. With a timeless filament look and your choice of clear or frosted glass, these lamps offer three levels of beautiful, warm or daylight illumination—all from a standard E26 base. Ideal for table and floor lamps, they create just the right ambiance for living spaces, hospitality settings, and more, while delivering dependable performance with energy-saving LED efficiency.

Performance

- Color temperature options: 2700K, 3000K, 5000K
- Up to 91 lumens per watt
- 200 to 800 lumen options
- CRI 90+
- L70 Lumen maintenance > 15,000 hours
- 3-way dimmable
- 120V
- -20°C to 40°C operating temperature
- 2 year limited warranty

Construction

- Clear & Frosted glass lens options
- Filament style LED
- E26 base
- Nickel-plated aluminum base



Applications

- Residential General and Decorative Lighting
- Hospitality and Restaurant Lighting
- Retail and Display Lighting
- Commercial and Office Accent Lighting
- Event and Specialty Lighting

Certifications

- UL listed for wet locations
- FCC part 15 compliant

LED Lamps

Decorative LED Filament 3-Way Lamps

Ordering Logic

Shape	Finish	Technology / Generation	CRI / CCT	Base	Dimming
A19 = A19 Bulb B11 = B11 Bulb CA11 = CA11 Bulb	CL = Clear FR = Frosted	FLED4 = Filament LED Generation 4	927 = 90 CRI, 2700K 930 = 90 CRI, 3000K 950 = 90 CRI, 5000K	E26 = E26 Base	3WD = 3-Way Dimmable

Ordering Information

Product SKU	Product Code	Product Description	Equiv Watts
82713	A19-CL-FLED4-927-E26-3WD	A19 lamp with E26 base, 2700K and lumen selectable, Clear, 3-Way Dimmable	60W
82714	A19-CL-FLED4-930-E26-3WD	A19 lamp with E26 base, 3000K and lumen selectable, Clear, 3-Way Dimmable	60W
82715	A19-CL-FLED4-950-E26-3WD	A19 lamp with E26 base, 5000K and lumen selectable, Clear, 3-Way Dimmable	60W
82716	A19-FR-FLED4-927-E26-3WD	A19 lamp with E26 base, 2700K and lumen selectable, Frosted, 3-Way Dimmable	60W
82717	A19-FR-FLED4-930-E26-3WD	A19 lamp with E26 base, 3000K and lumen selectable, Frosted, 3-Way Dimmable	60W
82718	A19-FR-FLED4-950-E26-3WD	A19 lamp with E26 base, 5000K and lumen selectable, Frosted, 3-Way Dimmable	60W
82719	B11-CL-FLED4-927-E26-3WD	B11 lamp with E26 base, 2700K and lumen selectable, Clear, 3-Way Dimmable	60W
82720	B11-CL-FLED4-930-E26-3WD	B11 lamp with E26 base, 3000K and lumen selectable, Clear, 3-Way Dimmable	60W
82721	B11-CL-FLED4-950-E26-3WD	B11 lamp with E26 base, 5000K and lumen selectable, Clear, 3-Way Dimmable	60W
82722	B11-FR-FLED4-927-E26-3WD	B11 lamp with E26 base, 2700K and lumen selectable, Frosted, 3-Way Dimmable	60W
82723	B11-FR-FLED4-930-E26-3WD	B11 lamp with E26 base, 3000K and lumen selectable, Frosted, 3-Way Dimmable	60W
82724	B11-FR-FLED4-950-E26-3WD	B11 lamp with E26 base, 5000K and lumen selectable, Frosted, 3-Way Dimmable	60W
82725	CA11-CL-FLED4-927-E26-3WD	CA11 lamp with E26 base, 2700K and lumen selectable, Clear, 3-Way Dimmable	60W
82726	CA11-CL-FLED4-930-E26-3WD	CA11 lamp with E26 base, 3000K and lumen selectable, Clear, 3-Way Dimmable	60W
82727	CA11-CL-FLED4-950-E26-3WD	CA11 lamp with E26 base, 5000K and lumen selectable, Clear, 3-Way Dimmable	60W
82728	CA11-FR-FLED4-927-E26-3WD	CA11 lamp with E26 base, 2700K and lumen selectable, Frosted, 3-Way Dimmable	60W
82729	CA11-FR-FLED4-930-E26-3WD	CA11 lamp with E26 base, 3000K and lumen selectable, Frosted, 3-Way Dimmable	60W
82730	CA11-FR-FLED4-950-E26-3WD	CA11 lamp with E26 base, 5000K and lumen selectable, Frosted, 3-Way Dimmable	60W

LED Lamps

Decorative LED Filament 3-Way Lamps

Performance Table

Product Code	Wattage	2700K		3000K		5000K	
		Lumen (lm)	Efficacy (lm/W)	Lumen (lm)	Efficacy (lm/W)	Lumen (lm)	Efficacy (lm/W)
A19-CL-FLED4-9XX-E26-3WD	3.3	300	91	300	91	300	91
	5.5	500	91	500	91	500	91
	8.8	800	91	800	91	800	91
A19-FR-FLED4-9XX-E26-3WD	3.3	300	91	300	91	300	91
	5.5	500	91	500	91	500	91
	8.8	800	91	800	91	800	91
B11-CL-FLED4-9XX-E26-3WD	2.2	200	91	200	91	200	91
	3.3	300	91	300	91	300	91
	5.5	500	91	500	91	500	91
B11-FR-FLED4-9XX-E26-3WD	2.2	200	91	200	91	200	91
	3.3	300	91	300	91	300	91
	5.5	500	91	500	91	500	91
CA11-CL-FLED4-9XX-E26-3WD	2.2	200	91	200	91	200	91
	3.3	300	91	300	91	300	91
	5.5	500	91	500	91	500	91
CA11-FR-FLED4-9XX-E26-3WD	2.2	200	91	200	91	200	91
	3.3	300	91	300	91	300	91
	5.5	500	91	500	91	500	91

Decorative LED Filament 3-Way Lamps

Specifications Table


	A19-CL-FLED4-9XX-E26-3WD	A19-FR-FLED4-9XX-E26-3WD	B11-CL-FLED4-9XX-E26-3WD	B11-FR-FLED4-9XX-E26-3WD	CA11-CL-FLED4-9XX-E26-3WD	CA11-FR-FLED4-9XX-E26-3WD
Nominal Wattage	3.3W / 5.5W / 8.8W		2.2W / 3.3W / 5.5W		2.2W / 3.3W / 5.5W	
Delivered Lumens	300 / 500 / 800		200 / 300 / 500		200 / 300 / 500	
Efficacy (lm/W)	91 LPW					
CCT	2700K, 3000K or 5000K					
CRI	90					
L70 Lifetime (hrs)	15,000					
Voltage	120V					
Power Factor	0.7					
Dimming	Yes (3-Way)					
Housing Material	Glass					
Base Material	Nickel-plated aluminium					
Operating Temperature (Min)	-20°C					
Operating Temperature (Max)	40°C					
Listings	cULus - FCC - Wet Location Rated					
Environment	Wet Location					
Warranty (Years)	2					
Weight (lbs.)	0.082		0.049		0.049	
Frequency	60Hz					

LED Lamps


Decorative LED Filament 3-Way Lamps

Dimensions

A19-CL-FLED4-9XX-E26-3WD
A19-FR-FLED4-9XX-E26-3WD



B11-CL-FLED4-9XX-E26-3WD
B11-FR-FLED4-9XX-E26-3WD



CA11-CL-FLED4-9XX-E26-3WD
CA11-FR-FLED4-9XX-E26-3WD

