




6" New Construction Line Voltage Shallow Cans and Trims

FEATURES

- Use with 75W Incand or LED equiv & Trim (sold Separately) or with Retrofit LED Downlight with E26 Adaptor
- Plaster frame: Galvanized steel construction. Housing can be removed from plaster frame to provide access to the junction box.
- Thermal protector: Self resetting thermal protector deactivates fixture if overheating occurs due to improper lamping or misapplied insulation
- UL Listed for damp location
- UL Listed for feed through wiring
- Certified under ASTM-E283 for airtight construction (RH6/N/IC/AT only)


INSTALLATION

- Bar hanger: Pre-installed nails easily install in regular or engineered lumber. Bar hangers are adjustable from 13-5/8" to 25" and can be repositioned 90 degree on plaster frame
- Junction box: Listed for through branch circuit wiring. Contains seven 7/8" knockouts and four Romex pryouts with strain relief



Shallow IC



Item #: RH6/N/S/IC
Order Code: T77664



Shallow IC Airtight

Item #: RH6/N/S/IC/AT
Order Code: T78532

DIMENSIONS







6" LINE VOLTAGE TRIM OPTIONS




RT600CL/WH/R40
Clear Reflector with White Ring
Uses R40/PAR38 Lamps
Order Code: T78366




RT602BL/WH
Black Step Baffle with White Ring
Uses R40/PAR38 Lamps
Order Code: T79179




RT602BL/WH/AT
Socket Supporting Black Step Baffle with White Ring, Airtight, Torsion Springs, for Floating Medium Base Socket
Uses BR/PAR30 Lamps
Order Code: T79610




RT601BL/WH
Black Step Baffle with White Ring
Uses BR/PAR30 Lamps
Order Code: T77102




RT602GW/AT
Socket Supporting Gloss White Step Baffle with White Ring, Airtight, Torsion Springs, for Floating Medium Base Socket
Uses BR/PAR30 Lamps
Order Code: T77565



RT601WH
White Step Baffle with White Ring
Uses BR/PAR30 Lamps
Order Code: T79135



RT602WH
White Step Baffle with White Ring
Uses R40, PAR38 Lamps
Order Code: T77673



**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

Halco Lighting Technologies 2940 Pacific Drive | Norcross, GA 30071 | Toll Free 800.677.3334 | Phone 770.242.3612
Fax 800.880.0822 | halcolighting.com | Atlanta | Cleveland | Houston | Phoenix | New Jersey © 2026 Halco Lighting Technologies, LLC. All rights reserved. Halco and ProLED are registered trademarks of Halco Lighting Technologies. All sizes and specifications are subject to change without notice.




6" LINE VOLTAGE TRIM OPTIONS




RT602WH/AT

Socket Supporting Matte White Step Baffle with White Ring, Airtight, Torsion Springs, for Floating Medium Base Socket
Uses BR/PAR30 Lamps
Order Code: T77598




RT609WH/A

Albalite Lens Shower Trim with Metal Ring
Uses A19 Lamps
Order Code: T79136




RT603WH

White Eyeball
Uses BR/PAR30 Lamps
Order Code: T79551



RT609WH/A/P

Albalite Lens Shower Trim with Plastic Ring
Uses A19 Lamps
Order Code: T79137



RT604WH

Open White Trim
Uses BR/PAR30 Lamps
Order Code: T78762



RT609WH/FL/P

Fresnel Glass Lens with White Plastic Ring Shower Trim
Uses A19 Lamps
Order Code: T79160



**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**