LED EXIT SIGN

■ ADVANTAGE

- Double face.
- High impact resistant.
- Internal back-up battery provides 90 minutes operation during a power outage.
- Ultra bright, energy efficient, long life Red or green LEDs.
- Mounting: top mounted,side mounted.
- 5 years warranty.
- Applications: exit, hallways, doorways, etc.



■ DETAILS

Features

- Injection-molded, 5VA flame-retardant and high impact thermoplastic housing, this led emergency lights have high-impact resistant.
- High performance chrome-plated metallized reflector and plastic lens for optimal light distribution.
- Charge rate/power “ON” LED indicator light and push-to-test switch for mandated code compliance testing.
- Compact, low-profile design.

Installations

EZ-snap mounting canopy included for top or end mount.

- Suitable for wall mount.

Certifications

- Comply with the requirements of the Standard(s) for Luminaires and are identified with the cETL Listed Mark.


Accessories


- Screw and cap.
- Mounting fixing hardware.
- Canopy.

Warranty

- All products are guaranteed with a 5-year warranty.
- See Warranty policy for additional information.

■ DIMENSIONS





LED EXIT SIGN

■ SPECIFICATION

	MODEL	WATT	INPUT VOLTAGE	EMERGENCY DURATION	CERTIFICATE
☐	J-EM114	5W	AC120V/277V	≥ 90 mins	cETLus

■ ACCESSORIES

☐ Screw and Cap



☐ Fixing Hardware



☐ Canopy




■ PACKING INFO


MODEL	14PCS/CARTON		560PCS/PALLET	CONTAINER		
	DIMENSION(INCH)	N.W(LBS)	G.W(LBS)	20'GP(PCS)	40'GP(PCS)	40HQ(PCS)
J-EM114	17.7″ x12.7″ x15.7″	35.3	18.8	7000	10000	12000

■ APPLICATION










■ INSTALLATIONS

❖ Top mount



❖ Side mount

