



# TP360

# UFO Post Top Light

40W / 60W / 75W / 80W / 100W / 150W / Power Switch



## Specifications

<b>Wattage</b>	40W -60W-80W / 75W-100W -150W Power Switch
<b>LED Chips</b>	SMD 2835, Samsung or Other LED Chips
<b>Driver Brand</b>	SOSEN/ ZHIHE/ or Other Brand
<b>Material</b>	Aluminum alloy+PC lens
<b>Color Temp</b>	3000K / 4000K / 5000K / 3CCT Switch
<b>Dimming</b>	0-10V / 1-10V / Non-dimmable
<b>Light Distribution</b>	130°
<b>Lumen</b>	130-140LM/W (Higher LM/W can be provided)
<b>AC Input Voltage</b>	AC120-277V / AC120-347V / AC180-480V Available
<b>Ambient Temperature</b>	-40°C to +45°C
<b>Exclusive Feature(1)</b>	Photocell Sensor Available
<b>Exclusive Feature(2)</b>	Motion Sensor Available
<b>Exclusive Feature(3)</b>	Bluetooth Mesh + App for Smart Control Available
<b>Exclusive Feature(4)</b>	CCT / Power Tunable Optional
<b>Housing</b>	Black / custom color
<b>Lifetime</b>	50,000H
<b>Warranty</b>	5 years

## Feature



CCT Select



0-10V Dimming



Power Select



ADC12 Die casting



Photocell sensor



Motion sensor





<< Photocell Sensor


Motion Sensor >>



## Drawing



## Installation



# Applications



Walkway



Community





House




Building

# Dimension



# Packaging information

Wattage	Product Size(mm/in)	Package Size(mm/in)	N.W (Kg/lb)	G.W (Kg/lb)	QTY
80W	360 x 360 x 504 mm 14.17 x 14.17 x 19.84 in	480 x 400 x 160 mm 18.90 x 15.75 x 6.30 in	4.3Kg(9.48lb)	5.1 Kg(11.24lb)	1 PCS
150W	360 x 360 x 504 mm 14.17 x 14.17 x 19.84 in	480 x 400 x 160 mm 18.90 x 15.75 x 6.30 in	4.8Kg(10.58lb)	5.6 Kg(12.34lb)	1 PCS



**Contractor Essentials**  
LIGHT MORE. PAY LESS

Contractor Essentials by Light BulbSurplus

5481 Bryant Ave South, Sanford FL 32772

Phone: 888.553.5655

[www.LightBulbSurplus.com](http://www.LightBulbSurplus.com)