

Project
Schedule / Date
Notes
Catalog Number

Product Description

naturalLED[®] Under Cabinet (UC) Lights are perfect for kitchen utility cabinets, shop cabinets and display lighting. Under cabinet lighting adds a layer of depth to your kitchen, highlights decorative surfaces and assist in tasks such as cooking and cleaning. The design features low-profile body with a white acrylic diffuser, an integrated on-off switch for each unit and connector cable (if desired) for easy installation. Our fixtures are Energy Star Certified with wide-beam spreads and available 9 and 18 inch.



Features & Benefits

- ▶ Energy Star Certified
- ▶ UL Damp
- ▶ JA8-2016 / CEC
- ▶ Uniform light distribution and consistent color
- ▶ Excellent thermal design
- ▶ UV coated acrylic
- ▶ Integral ON/OFF switch
- ▶ Link any combination of fixtures up to 150W

Specifications

- ▶ Universal Voltage: 120V
- ▶ Dimmable with wall switch
- ▶ Operating temperature: -4°F ~ 122°F
- ▶ Available in 9" or 18" in length
- ▶ CRI: 90


Applications

- ▶ Under Cabinets
- ▶ Kitchen Lighting
- ▶ Office Lighting
- ▶ Utility and Display Lighting



Optional Accessory

- ▶ 10" Quick Connector w/ Mount Clip



Included with Fixture

- ▶ 3 foot Power Cord and Connector



Connector

Ordering Information

Code	Description	CCT	Watt	Lumen	Equiv Wattage	Size	CRI	Dimmable	Rated Hrs	DAMP LOCATION	Energy Star
7591	LED-FXUC4/9FR/930	3000K	4	260	25	9-inch	90	Yes	50,000	•	•
7592	LED-FXUC4/9FR/940	4000K	4	260	25	9-inch	90	Yes	50,000	•	•
7600	LED-FXUC7/18FR/930	3000K	7	420	50	18-inch	90	Yes	50,000	•	•
7601	LED-FXUC7/18FR/940	4000K	7	420	50	18-inch	90	Yes	50,000	•	•

Accessories (available for purchase)


Connector + Mount Clip

P10151 PWCQ-FXUC-10IN
10" Quick Connector
w/ Mount Clip



Photometric Data


4 Watt




Zonal Lumen Summary

Zone	Lumens	% Luminaire
0-30	66.97	24.00
0-40	109.61	39.30
0-60	194.39	69.70
60-80	54.66	19.60
70-80	22.46	8.10
90-120	11.65	4.20
90-180	15.86	5.70
0-180	278.79	100.00

Total Luminaire Efficiency = 100.00%




7 Watt



Zonal Lumen Summary

Zone	Lumens	% Luminaire
0-30	98.70	23.60
0-40	161.81	38.70
0-60	288.18	68.90
60-80	82.58	19.80
70-80	34.03	8.10
90-120	18.99	4.50
90-180	26.11	6.20
0-180	418.07	100.00


Total Luminaire Efficiency = 100.00%



Product Dimension


9-inch

Weight: 0.42-lbs



18-inch

Weight: 0.84-lbs



Package

