LED Semi-Cutoff Wall Pack light

WSD LED INC
Green Lighting Resources

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W



The Semi-Cutoff Wall Pack LED Lighting Series can be widely used for Indoor or Outdoor (Wet Location) Excellent for Museums,Art Galleries, Shopping Malls, Office Buildings, Walls and many other applications.

WATT/CCT SELECTABLE



28-70W

48-120W

Features:

- Lumileds LED, high luminous efficiency and long working life .
- High efficiency LED Driver, the wide range input voltage AC120-277V.
- Die Cast aluminium cooling design,high quality and better cooling for LED Tj < 85℃.
- Excellent Optics design, greatly improve the light utilization and evenness.
- **The 1-10V Dimming type is continuous.**

Packaging information:

❖**WSD-HWP2842567W27-345K:**

Carton Size:370MMX205MMX178MM
14.57" X8.07" X7.01" (1Pcs/CTN)

❖**WSD-HWP48729612W27-45K:** Carton Size:370MMX170MMX170MM
14.57" X6.69" X6.69" (1Pcs/CTN)

SPECIFICATION								
TYPE	WSD-HWP2842567W27-345K				WSD-HWP48729612W27-45K			
WATTAGE	28W	42W	56W	70W	48W	72W	96W	120W
LUMEN	4483 lm	5896 lm	7740 lm	9753 lm	7496 lm	10985 lm	14162 lm	17226 lm
EFFICACY	> 140 lm/W							
CCT	3000K,4000K,5000K				4000K,5000K			
CRI	> 70							
INPUT VOLTAGE	AC120-277V							
LIGHTING ANGLE	96.3X71°				95.3X62.9°			
FACTORY SETTINGS	70W & 4000K				120W & 4000K			
LED TYPE	2835							
PF	> 0.95							
DRIVER EFFICIENCY	> 89%							
PROTECTION LEVEL	WET							
LIFE TIME	> 50000 hours							
WARRANTY	5 year limited							


LED Semi-Cutoff Wall Pack light

WSD LED INC
Green Lighting Resources


Wattages: 28W,42W,56W,70W;48W,72W,96W,120W

DIMENSION:

28-70W ⟶



48-120W ⟶



Specifications:

Shell materials: Aluminum & PC.
Finish: Dark Bronze(Standard)
Net weight :
28-70W:6.88(lbs)
48-120W:9.1(lbs)
Product Size:
28-70W:356.2mmX158.9mmX198.5mm
14.03”X6.26”X7.82”
48-120W:355mmX156.9mmX154.5mm
13.98”X6.18”X6.08”

Control Module:



ORDERING INFORMATION:

EXAMPLE:

WSD-HWP2842567W27-345K-Z[D,W,B,S]-Y[Blank,P] / WSD-HWP48729612W27-45K-Z[D,W,B,S]-Y[Blank,P]

WSD	HWP	2842567	27	345K	Z	Y
COMPANY	PRODUCT	POWER	VOLTAGE	CCT	FINISH	CONTROL
WSD LED INC	**HWP** Semi-Cutoff Wall Pack light	**2842567** 28W/42W 56W/70W **48729612** 48W/72W 96W/120W	**27** AC120-277V	**345K** 3000K/4000K/5000K **45K** 4000K/5000K	D (Dark Bronze) W (White) B (Black) S (Silvery)	**P (**Photocell)

LED Semi-Cutoff Wall Pack light


WSD LED INC
Green Lighting Resources


Wattages: 28W,42W,56W,70W;48W,72W,96W,120W


PHOTOMETRICS:


For complete IES files, please visit our website.

WSD-HWP2842567W27-345K **(28W&4000K)**













3% 0.3877lx 0.03601fc
5% 0.6461lx 0.06002fc
10% 1.292lx 0.12fc
30% 3.877lx 0.3601fc
50% 6.461lx 0.6002fc

WSD-HWP2842567W27-345K **(42W&4000K)**













3% 0.5646lx 0.05245fc
5% 0.9409lx 0.08742fc
10% 1.882lx 0.1748fc
30% 5.646lx 0.5245fc
50% 9.409lx 0.8742fc

WSD-HWP2842567W27-345K **(56W&4000K)**









3% 0.7397lx 0.06872fc
5% 1.233lx 0.1145fc
10% 2.466lx 0.2291fc
30% 7.397lx 0.6872fc
50% 12.33lx 1.145fc

LED Semi-Cutoff Wall Pack light


WSD LED INC
Green Lighting Resources

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W


PHOTOMETRICS:

For complete IES files, please visit our website.


WSD-HWP2842567W27-345K **(70W&4000K)**



WSD-HWP48729612W27-45K **(48W&4000K)**



WSD-HWP48729612W27-45K **(72W&4000K)**



LED Semi-Cutoff Wall Pack light


WSD LED INC
Green Lighting Resources

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W

PHOTOMETRICS:

For complete IES files, please visit our website.

WSD-HWP48729612W27-45K **(96W&4000K)**



WSD-HWP48729612W27-45K **(120W&4000K)**

