Selectable LED Surface Round Down Lights

WSD LED INC
Green Lighting Resources

Wattages: 18W , 24W , 30W

The Selectable LED Surface Round Down Lights Series can be widely used for Indoor Excellent for Hallways, Multipurpose Rooms , Underground parking,super market, store and many other applications.

WATT/CCT SELECTABLE

ASK ABOUT ENERGY STAR

CERTIFIED

FIVE YEAR LIMITED WARRANTY

Features:

- Lumileds LED, high luminous efficiency and long working life.
- High efficiency LED Driver, the wide range input voltage AC120-347V.
- Excellent Optics design,greatly improve the light utilization and evenness.
- **The 1-10V Dimming type is continuous.**
- Emergency Backup Battery LED Driver (Optional).

Packaging information:

❖**WSD-RDW182430W347-345K-W:**

Carton Size:540mmX355mmX275mm
21.26”X13.98”X10.83”(10Pcs/CTN)

Inside The Box:260mmX65mmX260mm
10.24”x2. 56” x10. 24”(1Pcs/CTN)


SPECIFICATION			
TYPE	WSD-RDW182430W347-345K-W		
WATTAGE	18W	24W	30W
LUMEN	2111 lm & 4000K	2960 lm & 4000K	3574 lm & 4000K
EFFICACY	> 120 lm/W		
CCT	3000K,4000K,5000K		
CRI	> 80		
INPUT VOLTAGE	AC120-347V		
LIGHTING ANGLE	108°		
FACTORY SETTINGS	30W & 4000K		
LED TYPE	2835		
PF	> 0.90		
DRIVER EFFICIENCY	> 90%		
PROTECTION LEVEL	Damp		
LIFE TIME	> 50000 hours		
OPERATING TEMPERATURE	-4℉~122℉		
ACCREDITATION	UL,Energy Star		
WARRANTY	5 year limited		

Selectable LED Surface Round Down Lights

WSD LED INC
Green Lighting Resources

Wattages: 18W , 24W , 30W

Dimension:




Specifications:

Shell materials: Aluminum & PC.
Net weight : 0.91Kg (2.0 lbs)
Finish: White(Standard)
Product Size:φ250mmX53mm
φ9.85″X2.09″

Control Module:



WATT/CCT SELECTABLE



Selectable CCT
Three position sliding switch
3000K / 4000K / 5000K

Selectable Power
Three position sliding switch
18W / 24W / 30W

EMERGENCY BACK-UP (SOLD SEPARATELY)



WSD-EMPK04E27-4W
4W Emergency Backup
Battery LED Driver

CONTROL (SOLD SEPARATELY)



NLC-MW-SQ-007
Microwave Motion Sensor



RC-100
Microwave Sensor
Remote Controller

ORDERING INFORMATION:

EXAMPLE:

WSD-RDW182430W347-345K-Z[D,W,B,S]-E[Blank,EC,M,ECM]

WSD	RDW	182430W	347	345K	Z	E
COMPANY	PRODUCT	POWER	VOLTAGE	CCT	FINISH	CONTROL
WSD LED INC	**RDW** Surface Round Down Lights	**182430** 18W/24W 30W	**347** AC120-347V	**345K** 3000K/4000K/5000K	**D** (Dark Bronze) **W** (White) **B** (Black) **S** (Silvery)	**EC**(Emergency) **M**(Motion Sensor) **ECM**(Emergency+ Motion Sensor)

Selectable LED Surface Round Down Lights


WSD LED INC
Green Lighting Resources

Wattages: 18W , 24W , 30W


PHOTOMETRICS:

For complete IES files, please visit our website.

WSD-RDW182430W347-345K-W (30W&3000K)



WSD-RDW182430W347-345K-W (30W&4000K)



WSD-RDW182430W347-345K-W (30W&5000K)

