








| | | | | | | | |
|---|---|---|---|---|---|---|---|
| WSD LED INC<br>Green LIghtIng Resources | | | edition | Modifier | Time of modification | Repair the interior | |
| Material No. | 907.0310 | Edition | A/0 | Page 1/1 | Tolerance requirements:(tolerance without special requirements) | | Date |
| Material Name | WSD-14LPZTRF-KIT-W | proportion | | Angle | NO ±0.2 | mapping | |
| Specification Description | | unit | | | .x ±0.1<br>.xx ±0.05 | check | |
| Drawing Number | | material quality | | | .xxx±0.015 | examine and verify | |

Unit: mm/inch




| | | | | | | | |
|---|---|---|---|---|---|---|---|
| WSD LED INC<br>Green Lighting Resources | | | | | | | |
| | | | edition | Modifier | Time of modification | Repair the interior | |
| Material No. | 907.0311 | Edition | A/0 | Page 1/1 | Tolerance requirements:(tolerance without special requirements) | | Date |
| Material Name | WSD-22LPZTRF-KIT-W | proportion | | Angle | NO ±0.2 | mapping | |
| Specification Description | | unit | | | .x ±0.1<br>.xx ±0.05 | check | |
| Drawing Number | | material quality | | | .xxx±0.015 | examine and verify | |

Unit: mm/inch





| | | | | | | | |
|---|---|---|---|---|---|---|---|
| WSD LED INC<br>Green Lighting Resources | | | | | | | |
| | | | edition | Modifier | Time of modification | Repair the interior | |
| Material No. | 907.0312 | Edition | A/0 | Page 1/1 | Tolerance requirements:(tolerance without special requirements) | | Date |
| Material Name | WSD-24LPZTRF-KIT-W | proportion | | Angle | NO ± 0.2 | mapping | |
| Specification Description | | unit | | | .x ± 0.1<br>.xx ± 0.05 | check | |
| Drawing Number | | material quality | | | .xxx± 0.015 | examine and verify | |

# Installation Instruction


## KIT'S DIMENSIONS




1.Assemble the mounting frame using mounting screws (included).




2.Cut out an opening according to the dimension table.





| CATALOG NUMBER | OPENING SIZE | |
|---|---|---|
| | X | Y |
| 2 x 2 | 626mm | 626mm |
| 2 x 4 | 626mm | 1235mm |
| 1 x 4 | 325mm | 1235mm |

3.Choose the mounting method : Mounting using mounting screws (not included) or mounting using mounting screws (not included).




4.Place the kit in the ceiling opening and secure it with the screws.




5.The installation is completed.

