

QUICKTRONIC PROStart T8

51408 / QHE 2X32T8/UNV PSN-MC-B



Product family features

- - High Efficiency Systems are over 90% efficient
 - PROStart Program Rapid Start for extended lamp life
 - Normal ballast factor: 0.88,
 - Parallel operation- one lamp out others stay lit
 - 70°C maximum case temperature
 - UL Type CC
 - LSC (Lamp Striation Control) Universal input voltage (120-277V)
 - Min. Starting Temp: - 20°F (-29°C) for T8 lamps - 60°F (16°C) for Energy Saving T8 lamps
 - RoHS compliant

Areas of application

- Where extended lamp life is required to reduce maintenance costs
- Occupancy sensors
- Energy retrofits
- Building control systems

Technical data

General product information

Product Name	QHE2X32T8UNVPSNMCB 10/CS 1/SKU
Ordering Abbreviation	QHE 2X32T8/UNV PSN-MC-B
Brand Name	OSRAM
Family Brand Name	QUICKTRONIC High-Efficiency
General Description	2 lamp 32wT8 High Efficiency electronic ballast,Programmed Rapid Start, Universal voltage Nprmal Ballast Factor, Mini Can design
Product Number	51408

Electrical data

Nominal Total Max Wattage	56 W
Power Factor	>0.97
Open Circuit Voltage (V)	<600 V
Wiring Method	Leads

Dimensions & weight

Dimensions	Small Can
Ballast Height (in)	1.0000 in
Ballast Length (in)	9.5000 in
Ballast Width (in)	1.6800 in

Temperatures & operating conditions

Starting Temperature - Celsius	-29 C
Starting Temperature - Fahrenheit	-20.2 F
Maximum Case Temperature	70 C

Additional product data

Sound Rating	A
Starting Method	Programmed Start
Primary Lamp Type 1	FO32/XP
Total Harmonic Distortion (THD)	<10

Light management & control

Circuit Type	Parallel
--------------	----------

Product datasheet



QHE T8 PSN Type CC UNV Systems

Packaging Information

Item number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
51408	0046135514081	Unpacked (SKU)	1		
51408	10046135514088	Shipping box (Case)	10	10.8 in x 10.2 in x 3 in	7.9 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

For information on specific product warranties, visit www.osram.us/warranty. Specifications are subject to change without notice.OSRAM and QUICKTRONIC are registered trademarks of OSRAM GmbH.SYLVANIA is a registered trademark of OSRAM SYLVANIA Inc.SUBSTITRONIC is a trademark of OSRAM SYLVANIA Inc.All other trademarks are those of their respective owners.